

TABLES & GRAPHICS

Graphic images included in rules are published separately in this tables and graphics section. Graphic images are arranged in this section in the following order: Title Number, Part Number, Chapter Number and Section Number.

Graphic images are indicated in the text of the emergency, proposed, and adopted rules by the following tag: the word "Figure" followed by the TAC citation, rule number, and the appropriate subsection, paragraph, subparagraph, and so on.

SCHEDULE OF FEES

	Board Fee	Texas Online	Peer Assistance	Patient Protection	83rd Leg - HB 3201	84th Leg - <u>SB 195</u>	Total Fee
DENTIST							
Application by Exam	\$215.00	\$5.00	\$7.00	\$5.00	\$55.00	<u>\$8.00</u>	<u>\$295.00</u> [\$287.00]
Annual Renewal	\$150.00	\$4.00	\$7.00	\$1.00	\$55.00	<u>\$8.00</u>	<u>\$225.00</u> [\$217.00]
Annual Renewal - Late 1 to 90 days	\$225.00	\$4.00	\$7.00	\$1.00	\$55.00	<u>\$8.00</u>	<u>\$300.00</u> [\$292.00]
Annual Renewal - Late 90 to 365 days	\$300.00	\$4.00	\$7.00	\$1.00	\$55.00	<u>\$8.00</u>	<u>\$375.00</u> [\$367.00]
Licensure by Credentials	\$2,800.00	\$5.00	\$7.00	\$5.00	\$55.00	<u>\$8.00</u>	<u>\$2,880.00</u> [\$2,872.00]
Temporary Licensure by Credentials	\$750.00	\$5.00	\$7.00	\$5.00	\$55.00	<u>\$8.00</u>	<u>\$830.00</u> [\$822.00]
Provisional License	\$100.00						\$100.00
Faculty Initial Application	\$115.00	\$4.00	\$7.00	\$5.00	\$55.00	<u>\$8.00</u>	<u>\$194.00</u> [\$186.00]
Faculty Annual Renewal	\$95.00	\$3.00	\$7.00	\$1.00	\$55.00	<u>\$8.00</u>	<u>\$169.00</u> [\$161.00]
Faculty Annual Renewal - Late 1 to 90 days	\$142.50	\$3.00	\$7.00	\$1.00	\$55.00	<u>\$8.00</u>	<u>\$216.50</u> [\$162.50]
Faculty Annual Renewal - Late 90 to 365 days	\$190.00	\$3.00	\$7.00	\$1.00	\$55.00	<u>\$8.00</u>	<u>\$264.00</u> [\$256.00]
Conversion Fee - Faculty to Full Privilege	\$50.00						\$50.00
Nitrous Oxide and Level 1 Anesthesia Application	\$32.00						\$32.00
Nitrous Oxide and Level 1 Anesthesia Annual Renewal	\$10.00						\$10.00
Level 2 thru Level 4 Anesthesia Application	\$60.00						\$60.00
Level 2 thru Level 4 Anesthesia Annual Renewal	\$10.00						\$10.00
Portability of Anesthesia Level 3 thru Level 4 Application	\$120.00						\$120.00
Application to Reactivate a Retired License	\$75.00						\$75.00
Reinstatement of a Canceled Dental License	<u>\$450.00</u> [\$434.00]						<u>\$450.00</u> [\$434.00]
Duplicate License / Renewal	\$25.00						\$25.00

SCHEDULE OF FEES

	Board Fee	Texas Online	Peer Assistance	Patient Protection	83rd Leg - HB 3201	84th Leg - <u>SB 195</u>	Total Fee
Conversion Fee - Full Privilege to Faculty	\$50.00						\$50.00
Conversion Fee - Temporary Licensure by Credentials to Full Privilege	\$2,050.00	\$5.00	\$7.00	\$5.00	\$55.00		\$2,122.00
DENTAL HYGIENIST							
Application by Exam	\$115.00	\$4.00	\$2.00	\$5.00			\$126.00
Annual Renewal	\$100.00	\$3.00	\$2.00	\$1.00			\$106.00
Annual Renewal - Late 1 to 90 days	\$150.00	\$3.00	\$2.00	\$1.00			\$156.00
Annual Renewal - Late 90 to 365 days	\$200.00	\$3.00	\$2.00	\$1.00			\$206.00
Licensure by Credentials	\$630.00	\$4.00	\$2.00	\$5.00			\$641.00
Temporary Licensure by Credentials	\$220.00	\$4.00	\$2.00	\$5.00			\$231.00
Faculty Initial Application	\$115.00	\$4.00	\$2.00	\$5.00			\$126.00
Faculty Annual Renewal	\$83.00	\$3.00	\$2.00	\$1.00			\$89.00
Faculty Annual Renewal - Late 1 to 90 days	\$124.50	\$3.00	\$2.00	\$1.00			\$130.50
Faculty Annual Renewal - Late 90 to 365 days	\$166.00	\$3.00	\$2.00	\$1.00			\$172.00
Conversion Fee - Faculty to Full Privilege	\$50.00						\$50.00
Application to Reactivate a Retired License	\$75.00						\$75.00
Reinstatement of a Canceled Dental Hygiene License	\$212.00						\$212.00
Duplicate License / Renewal	\$25.00						\$25.00
Nitrous Oxide Cons Sed Monitoring Application	\$12.00						\$12.00
Nitrous Oxide Monitoring Duplicate Certificate	\$10.00						\$10.00
Conversion Fee - Full Privilege to Faculty	\$50.00						\$50.00
Conversion Fee - Temporary Licensure by Credentials to Full Privilege	\$410.00	\$4.00	\$2.00	\$5.00			\$421.00

SCHEDULE OF FEES

	Board Fee	Texas Online	Peer Assistance	Patient Protection	83rd Leg - HB 3201	84th Leg - <u>SB 195</u>	Total Fee
DENTAL ASSISTANT							
Initial Application	\$31.00			\$5.00			\$36.00
Annual Renewal	\$29.00	\$2.00		\$1.00			\$32.00
Annual Renewal - Late 1 to 90 days	\$43.50	\$2.00		\$1.00			\$46.50
Annual Renewal - Late 90 to 365 days	\$58.00	\$2.00		\$1.00			\$61.00
Duplicate License / Renewal	\$25.00						\$25.00
Pit and Fissure Sealant Application	\$30.00						\$30.00
Pit and Fissure Sealant Renewal	\$18.00						\$18.00
Duplicate Pit Fissure Certificate	\$15.00						\$15.00
Nitrous Oxide Cons Sed Monitoring Application	\$12.00						\$12.00
Nitrous Oxide Monitoring Duplicate Certificate	\$10.00						\$10.00
Coronal Polishing Application	\$12.00						\$12.00
Duplicate Coronal Polishing Certificate	\$10.00						\$10.00
DENTAL LABORATORIES							
Application	\$120.00			\$5.00			\$125.00
Annual Renewal	\$131.00	\$4.00		\$1.00			\$136.00
Annual Renewal - Late 1 to 90 days	\$196.50	\$4.00		\$1.00			\$201.50
Annual Renewal - Late 90 to 365 days	\$262.00	\$4.00		\$1.00			\$267.00
Duplicate Certificate	\$25.00						\$25.00
OTHER							
Mobile Application	\$120.00						\$120.00

SCHEDULE OF FEES

	Board Fee	Texas Online	Peer Assistance	Patient Protection	83rd Leg - HB 3201	84th Leg - <u>SB 195</u>	Total Fee
Annual Mobile Renewal	\$60.00						\$60.00
Duplicate Certificate Mobile Certificate	\$15.00						\$15.00
Dentist Intern / Resident Prescription Privileges	\$50.00					<u>\$8.00</u>	<u>\$58.00</u> [\$50.00]
Dental Assistant Course Provider	\$100.00						\$100.00
Jurisprudence	\$54.00						\$54.00
Licensure Verification without Seal	\$4.00						\$4.00
Licensure Verification with Seal	\$9.00						\$9.00
Criminal History Letter	\$25.00						\$25.00
Printed Copy - Rules and Regulations	\$20.00						\$20.00
Printed Copy - TX Occupations Code - Dental Practice Act	\$15.00						\$15.00
Printed Consumer Signage	\$5.00						\$5.00
Board Scores	\$10.00						\$10.00

Figure: 28 TAC §34.521(e)

**DO NOT REMOVE
EQUIPMENT IMPAIRED**

*Name,
Address, &
Telephone Number
of Fire Protection Firm*

Certificate of Registration Number

Name of Licensee

Signature


License Number

Date

OWNER'S NAME and ADDRESS:

LIST of IMPAIRMENTS:

Figure: 28 TAC §34.722(h)



**DO NOT REMOVE BY ORDER OF
TEXAS STATE FIRE MARSHAL**

RED TAG

16	1
17	2
18	3
19	4
20	5
21	6
22	7
23	8
24	9
25	10
26	11
27	12
28	13
29	14
30	15
31	

*Name & Address
of Sprinkler Firm
Phone Number
SCR-Number*


RME's License Number

Printed name of service
person

Signature of authorized
serviceperson /
inspector

**IMMEDIATELY
REPORT STATUS TO
OWNER AND AHJ
IN WRITING
(within 5 business
days)**

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	2020
JAN												2019
												2018
												2017
												2016
												2015



If the system impairments constitute an "emergency" impairment as defined in NFPA 25, attached this red tag to the applicable system riser. An authorized individual may remove this tag after a service tag has been attached indicating the condition has been corrected.

Name of Owner or Occupant

Address

Building No. or Location or System No.

List Emergency Impairments

Figure: 28 TAC §34.1302(a)

Citation	Violation	Fine	Citation	Violation	Fine
	License and Registration		34.517(e)	Fixed system not installed or serviced by Type A or EPL	\$2,000.00
6001.152(a)	Branch office registration certificate required	\$1,000.00		Installation and Service	
6001.161(a)	Apprentice permit required	\$500.00	34.517(a)(1)	Portable extinguisher not installed/serviced/maintained IAW manufacturer's instructions	\$50.00- \$500.00
6001.251(a)(1)	No registration certificate (portable)	\$3,000.00	34.517(a)(2)	Service tag not attached upon completion	\$250.00
6001.251(a)(2)	No registration certificate (fixed)	\$3,000.00	34.517(b)(1)	Fixed system not planned/installed/serviced IAW 'manufacturer's Instructions	\$50.00- \$500.00
6001.251(a)(3)	No license	\$3,000.00	34.517(b)(2)	Installation label not affixed to system upon completion	\$250.00
34.510(e)(10)(A)	No C registration for U.S. DOT extinguishers	\$2,000.00	34.517(b)(3)	Installation label not signed and affixed to system by Type A or PL licensee (non pre-engineered)	\$500.00
34.510(e)(10)(B)	No verification of U.S. DOT registration	\$2,000.00	34.517(b)(3)	Licensee who signed label was not at final test (non pre-engineered)	\$500.00
34.510(f)	Registration information not displayed on vehicle	\$250.00	34.517(b)(4)	Service tag not attached after service completion	\$500.00
34.511(f)(1)	Licensee not employed by registered firm	\$2,000.00	34.517(f)	Pre-engineered kitchen system not UL300	\$2,000.00
34.511(f)(3)	Failure to notify SFMO of termination of employee within 14 days	\$250.00	34.517(h)	Fusible link manufacturer date not within 1 year	\$500.00
34.513	Alteration of certificates, licenses, or permits	\$3,000.00	34.517(i)	Actuation cartridge not dated	\$500.00
34.514(a)(5)(b)	Failure to maintain proof of insurance on file at SFMO	\$750.00	34.517(j)	Tamper indicator not dated	\$500.00
	Adopted Standards		34.518(a)	Shop drawings not on file or not given to owner	\$500.00
34.517(a)(1)	Failure to abide by adopted standards or manufacturers requirements for portable extinguishers	\$50.00 - \$500.00	34.518(c)	Shop drawings not signed by EPL	\$500.00
34.517(b)(1)	Failure to abide by adopted standards or manufacturers requirements for fixed extinguishers		34.519(a)	Service tag not completed in detail	\$250.00
	Location and Business Practices		34.520(b)	Service tag not completed each time service is performed	\$500.00
34.510(d)	Failure to maintain business location	\$500.00	34.521(a)	Owner not notified immediately of impaired portable or fixed extinguisher	\$500.00
34.510(e)	Failure to maintain shop	\$50.00- \$500.00	34.521(a)	AHJ not notified within 24 hrs of impaired portable or fixed extinguisher	\$500.00
6001.252(a)(3)	Misrepresentation of goods or services	\$250.00- \$1,000.00	34.521(a)	Written notice to owner; copy of written notice to AHJ within 3 days	\$500.00
34.517(c)	Pre-engineered system not installed or serviced by authorized licensee	\$2,000.00	34.521(a)	Failed to attach red tag to impaired extinguisher	\$500.00
34.517(e)	Fixed system not planned by EPL or professional engineer	\$2,000.00	34.521(a)	Service tag attached to impaired extinguisher	\$1,000.00

34.514(a)(5)(B)		Lapse of Insurance			
Months	Punitive	+	Amount saved	=	Total
0 - 1	\$200	+	\$125	=	Warning Letter
1 - 2	\$500	+	\$250	=	\$750
2 - 3	\$500	+	\$375	=	\$875
3 - 4	\$500	+	\$500	=	\$1,000
4 - 5	\$500	+	\$625	=	\$1,125
5 - 6	\$500	+	\$750	=	\$1,250
6 - 7	\$750	+	\$875	=	\$1,625
7 - 8	\$750	+	\$1,000	=	\$1,750
8 - 9	\$750	+	\$1,125	=	\$1,875
9 - 10	\$750	+	\$1,250	=	\$2,000

10 - 11	\$750	+	\$1,375	=	\$2,125
11 - 12	\$750	+	\$1,500	=	\$2,250

Figure: 28 TAC §34.1302(b)

6002.152(a)	Branch office registration certificate required	\$1,000.00	34.617	Failure to distribute/retain certificate	\$500.00
6002.154(a)	No licensed employee	\$1000.00	34.618	Installation inspection improperly performed/documented	\$50.00-\$500.00
6002.154(b)	No license	\$3,000.00	34.618	Installation inspection improperly documented	\$500.00
6002.154(c)	Licensee not an employee of registered firm	\$750.00	34.618	Installation inspection docs not on file for 5 yrs	\$500.00
6002.301	Engage in business w/o license or registration certificate	\$3,000.00			
	Adopted Standards		34.619(a)	System/modification not planned by authorized person	\$3,000.00
34.616(b)(4)	Violation of standards established by 34.607	\$50.00-\$500.00	34.619(b)	Plans not submitted to AHJ	\$500.00
34.6616(b)(4)	Violation of standards established by manufacturers requirements (NFPA 72, §10.3.2)	\$50.00-\$500.00	34.619(b)	Plans incorrectly submitted to AHJ	\$250.00
				Labels	
	Location Business Practices		34.620(a)	Installation label not affixed to inside of control panel cover	\$500.00
34.610(a)	Failure to maintain business location	\$500.00	34.620(d)	Installation label improperly formatted or incomplete	\$500.00
34.610(b)	Designated employee	\$500.00	34.620(f)	Installation label incorrectly formatted or incomplete (1 or 2 family)	\$500.00
34.610(c)	Registration information not displayed on vehicle	\$250.00	34.621(a)	Service label not affixed to control panel cover	\$500.00
34.611(f)(2)	Failure to notify SFMO of termination of employee within 14 days	\$250.00	34.621(b)	Information about yellow or red label not on service label that corrected the impairments	\$500.00
34.616(b)(1)	Installation not performed by or under direct supervision of authorized licensee	\$3,000.00	34.623(c) (yellow) 34.624(c) (red)	Owner or AHJ not notified of impairment	\$500.00
34.616(b)(1)	Certifying licensee not licensed under ACR of primary registered firm or certifying licensee not present for final acceptance test	\$1,000.00	34.621(h)	Service label improperly formatted or incomplete	\$500.00
34.616(b)(2)	Licensee attaching label not licensed under ACR of primary registered firm	\$1,000.00	34.622(a)	Inspection/test label not filled out in detail or not affixed to inside of control panel cover	\$500.00
34.616(b)(2)	Service and maintenance not performed by or under direct supervision of authorized licensee	\$3,000.00	34.622(d)	Owner or AHJ not notified of impairment	\$500.00
6002.302(a)(3)	Misrepresentation of goods or services	\$250.00-\$1,000.00	34.622(j)	Inspection/test label incorrectly formatted/incomplete	\$500.00
	Monitoring		34.623(a)	Completed yellow label not attached to outside of control panel of impaired system	\$500.00
34.616(c)(1)	Monitoring an alarm for an unregistered firm	\$3,000.00	34.623(g)	Yellow label incorrectly formatted/incomplete	\$500.00
34.616(c)(2)(A)	Connecting an alarm to an unregistered monitoring firm	\$2,000.00	34.624(a)	Completed red label not attached to outside of impaired system	\$1,000.00
34.616(3)	No licensed technician at central station	\$1,000.00	34.624(g)	Red label improperly formatted/incomplete	\$500.00

34.613(a)(5)(B)	Lapse of Insurance				
Months	Punitive	+	Amount saved	=	Total
0 - 1	\$200	+	\$125	=	Warning Letter
1 - 2	\$500	+	\$250	=	\$750
2 - 3	\$500	+	\$375	=	\$875
3 - 4	\$500	+	\$500	=	\$1,000
4 - 5	\$500	+	\$625	=	\$1,125
5 - 6	\$500	+	\$750	=	\$1,250
6 - 7	\$750	+	\$875	=	\$1,625
7 - 8	\$750	+	\$1,000	=	\$1,750
8 - 9	\$750	+	\$1,125	=	\$1,875
9 - 10	\$750	+	\$1,250	=	\$2,000

10 - 11	\$750	+	\$1,375	=	\$2,125
11 - 12	\$750	+	\$1,500	=	\$2,250

Figure: 28 TAC §34.1302(c)

Citation	Violation	Fine	Citation	Violation	Fine
	Certificates of Registration and Licenses			Planning and Installation	
6003.151(a)	Engage in business w/o registration certificate	\$3,000.00	34.717(b)	Failed to maintain copy of updated plans	\$500.00
6003.153(b)	Act as responsible managing employee (RME) w/o holding license	\$3,000.00	34.717(c)	Plans do not contain required signatures/ information about firm or licensee	\$500.00
34.710(a)	Subcontracting to unregistered firm to perform work of fire protection sprinkler contractor	\$3,000.00	34.717(c)(2)	Plans not submitted to AHJ for review/permit/rating/record	\$500.00
34.711(a)	Firm's RME not licensed or license expired	\$1,000.00	34.717(c)(2)	Plans incorrectly submitted to AHJ	\$250.00
34.711(e)(1)	Licensee working not employed by registered firm	\$750.00		Tags	
34.711(e)(2)	Firm failed to notify SFMO of termination of employee w/in 14 days	\$250.00	34.718(a)	Installation tag not completed, not completed in detail, not attached to riser	\$500.00
	Adopted Standards		34.718(b)	ITM tag not attached to riser after installation/required tests and inspections	\$500.00
34.716(i)	Planning/installation/service not in accordance with adopted standards	\$50.00- \$500.00	34.719(a)	Service tag not completed and/or not attached to riser	\$500.00
	Location/Business Practices		34.719(c)	New service tag not attached after service	\$500.00
34.710(b)	Failure to maintain business location on certificate of registration	\$500.00	34.719(g)	Service tags improperly formatted	\$250.00
34.711(f)	Individual not licensed for work performed	\$3,000.00	34.720(a)	ITM tag not completed and/or attached to riser after scheduled inspection, testing or maintenance service	\$500.00
34.716(a)	System not installed under supervision of appropriately licensed individual	\$3,000.00	34.720(c)	New ITM tag not completed and attached after each service	\$500.00
34.716(b)	Individual did not affix material and test certificate on or near riser	\$500.00	34.720(g)	ITM tag improperly formatted	\$250.00
34.716(c)	Inspection/test/maintenance service not conducted by appropriately licensed individual	\$3,000.00	34.721(a)	Yellow tag not completed and/or attached to noncompliant system	\$500.00
34.716(d)	Records not available for examination	\$500.00	34.721(c)	Building owner/representative/AHJ not notified of noncompliant system	\$500.00
34.716(e)	Vehicles do not display co. name, tel. number and certificate of registration	\$250.00	34.721(f)	Yellow tag improperly formatted	\$250.00
34.716(g)	The planning not performed under the direct supervision of the appropriately licensed RME.	\$500.00	34.722(a)	Red tag not completed and attached to system with an emergency impairment	\$500.00
34.716(h)	Planning, installation, or service of a fire protection sprinkler system not in accord with the minimum requirements of the applicable adopted standards	\$3,000.00	34.722(b)	Owner/representative/AHJ not orally notified immediately of impairment	\$500.00
6003.252(3)	Misrepresentation	\$250.00- \$1,000.00	34.722(b)	Owner/representative/AHJ not notified in writing of impairment within 24 hours	\$500.00
	Planning and Installation		34.722(g)	Red tag improperly formatted	\$250.00
34.717(a)	Failed to provide as built plans to the owner	\$500.00			
34.717(a)	Failed to maintain a copy of plans	\$500.00			
34.717(b)	Failed to provide updated plans to owner	\$500.00			

34.713(a)(7)(B)		Lapse of Insurance			
Months	Punitive	+	Amount saved	=	Total
0 - 1	\$200	+	\$125	=	Warning Letter
1 - 2	\$500	+	\$250	=	\$750
2 - 3	\$500	+	\$375	=	\$875
3 - 4	\$500	+	\$500	=	\$1,000
4 - 5	\$500	+	\$625	=	\$1,125
5 - 6	\$500	+	\$750	=	\$1,250
6 - 7	\$750	+	\$875	=	\$1,625
7 - 8	\$750	+	\$1,000	=	\$1,750
8 - 9	\$750	+	\$1,125	=	\$1,875
9 - 10	\$750	+	\$1,250	=	\$2,000
10 - 11	\$750	+	\$1,375	=	\$2,125

$$11 - 12 \quad \$750 \quad + \quad \$1,500 \quad = \quad \$2,250$$

Figure: 28 TAC §34.1302(d)

Code	GENERAL	FINE	Code	PATHWAYS/CORRIDORS OF EGRESS cont	Fine
34.817(m)	TRASH, cardboard or high grass within 10 ft of site	\$50.00	36.2.5.8	No clear exit path AROUND CHECKOUT aisle	\$250.00
34.832(12)	Supervisor less than 18 YEARS OLD (site closed until corrected)	\$500.00	7.11.5	Building has DEAD END CORRIDORS	\$150.00
34.832(12)	Individuals less than 16 YEARS OLD SELLING Fireworks	\$50.00	7.2.1.11.1	Turnstile, ropes or other DEVICES OBSTRUCT EGRESS	\$150.00
34.817(h)	Operator consuming or under influence of ALCOHOL	\$500.00		EXIT DOORS	
2154.252(c)	Fireworks sold or offered to CHILDREN under 16 years old or to an intoxicated or incompetent person	\$500.00	7.11.4	Less than TWO means of EGRESS if room >200 sqft	\$500.00
34.817(l)	No off highway PARKING provided	\$100.00	7.11.1	No EXIT WITHIN 75 ft of any point in the building	\$150.00
34.817(g)	SMOKING inside the site	\$500.00	7.7.1	Exits do not TERMINATE in open space (i.e. blocked)	\$150.00
34.817(g)	SMOKING outside within 10 feet of site	\$250.00	7.2.1.2.3.2	DOOR OPENINGS less than 32" wide	\$150.00
2154.202(g)	Selling fireworks OUTSIDE selling SEASON	\$250.00 TO \$500.00	7.2.1.4.2	Door 'doesn't SWING OUT' in direction of egress	\$250.00
	FIREWORKS STORAGE		7.2.1.3.1	Floor ELEVATION change Interior >½" or Exterior door >8"	\$100.00
34.832(6)	Stored fireworks in sales area ACCESSIBLE to public	\$100.00	7.2.1.3.3	THRESHOLD at door exceeds ½" in height	\$100.00
34.832(7)	Fireworks storage room not RESTRICTED to employees only	\$100.00	7.11.6	DOORS latch or lock not fire or PANIC HARDWARE	\$1,000.00
34.832(7)	"NO SMOKING" signs not posted in storage room	\$50.00	7.2.1.5.2	Doors have KEY LOCKS on egress side.	\$500.00
	STORAGE (and retail sales) OVER 500 CASES		7.2.1.4.1(3)	Ex (a&c) Not LOCKED OPEN when occupied	\$250.00
34.823(a2)	Not of SOLID CONSTRUCTION or sound engineering	Case	7.2.1.4.1(3)	Ex (b) No "This Door To Remain OPEN etc..." SIGN	\$100.00
34.823(a3)	Electrical does not meet NATIONAL ELECTRIC CODE	\$25.00 TO \$250.00	Code	EXIT DOORS (cont)	Fine
34.823(a3)	No outside MASTER ELECTRICAL SWITCH	\$250.00	7.2.1.4.1(3)	Ex (e) No ONE PANIC hardware door without a roll-up	\$500.00
34.823(a4A)	LESS 50ft from inhabited bldg(s) or surface of highways	\$500.00		SIGNS	
34.823(a4A)	Not in compliance with distances in TABLE 1 34.824	\$500.00	7.10.1.2.1	Not all exits have "EXIT" SIGNS. (if exit not obvious)	\$100.00
34.823(a4B)	WINDOWS or sunlight on fireworks not diffused	\$50.00	7.10.6.1.1	"EXIT" SIGNS NON-COMPLIANT with standard	\$50.00
34.823(a4C)	STOVE, exposed flame or electric heater in storage area	\$500.00	7.10.2.1	Missing DIRECTIONAL SIGNS to exits (if not apparent)	\$50.00
34.823(a4D)	Swing EXIT DOOR locked, not marked or obstructed	\$250.00	7.10.6.2.1	Directional SIGNS NON-COMPLIANT with standard	\$50.00
34.823(a4E)	No Class A EXTINGUISHER for each 1000 sqft of floor	\$100.00	7.10.8.3	Missing "NO EXIT" sign on doors that could be mistaken	\$250.00
34.823(a4F)	Brush, dry grass, leaves or COMBUSTIBLES within 10ft	\$100.00	34.817(g)	"NO SMOKING" sign not posted OUTSIDE entrance doors	\$100.00
34.823(a4G)	Missing "NO SMOKING" signs. (4" letters)	\$100.00	34.817(g)	"NO SMOKING" sign not posted INSIDE entrance doors	\$100.00
34.823(a5)	No fence, SECURITY ALARM or 24 hr. personnel on site	\$500.00	34.817(g)	"NO SMOKING" sign not posted several location inside	\$100.00
34.823(a6)	Class I COMBUSTIBLES (gasoline) less 100 ft from bldg	\$100.00	34.817(g)	"NO SMOKING" sign lettering less than 4 inches high	\$50.00
34.823(a6)	CLASS I dispensing or vents less than 100 ft from bldg (site closed)	\$500.00		EMERGENCY LIGHTING (if over 3000 sq.ft.)	
34.823(b1)	No SUPERVISOR at least 18 years old on duty (site closed until corrected)	\$500.00	36.2.9	No EMERGENCY LIGHTING provided	\$500.00
34.832(3A)	< 60ft from INHABITED bldg. (w/o permit before 11-18-02)	\$500.00	7.8.1.3	Emergency lighting doesn't ILLUMINATE paths of egress	\$250.00
34.832(3B)	< 30ft from PROPERTY line (w/o permit before 11-18-02)	\$250.00	7.9.2.1	Emergency lighting DURATION is less than 1½ hrs	\$250.00
34.832(3C)	Does not comply with TABLE 1 or have fire sprinklers	\$500.00	7.9.3.1.1	No RECORD of emergency lighting inspection & TEST	\$100.00
	PATHWAYS/CORRIDORS OF EGRESS			STRUCTURE	
36.2.5.5	Means of EGRESS/AISLES less than 36 inches	\$150.00	34.832(1)	Building is not FREE STANDING or durable	Case
36.2.5.10	Means of egress < 36" + CART LENGTH (if using carts)	\$150.00	34.832(1)	Mezzanine or 2nd STORY accessible to the public	\$150.00
34.817(e)	Path to exit door OBSTRUCTED	\$250.00	34.832(1)	Selling from a TENT, boat, or mobile vehicle (site closed)	\$500.00

7.1.10.1	Egress not CONTINUALLY FREE of obstructions	\$150.00		34.817(k)	Bldg. single or multi-family RESIDENTIAL STRUCTURE (site closed)	\$500.00
Code	STRUCTURE cont	Fine		Code	STAIRS	Fine
34.832(1)	Sales area Multi-Use (other business) or MULTI-TENANT (site closed)	\$500.00		7.2.2.2.1	RISER not 4"-7" or TREADS less than 11" wide	\$100.00
34.832(18)	Sales area >2500 sqft with ave. CEILING HEIGHT < 12 ft	\$500.00		7.2.2.2.1.2	Less than 36" WIDE or < 56" wide if occupancy over 2000	\$100.00
34.832(10)	Stored behind glass with impinging direct SUNLIGHT	\$50.00		7.2.2.3.3.1	Stairs treads not SOLID	\$100.00
34.832(14)	No outside MASTER electrical switch	\$100.00		7.2.2.4.1.1	No HANDRAILS 34" to 38" high provided	\$100.00
9.1.2	Electrical WIRING and equipment APPEAR HAZARDOUS	\$25.00 TO \$250.00		7.1.8	Open stairs over 30" rise without a GUARD RAIL	\$100.00
	INTERIOR				STAIR LANDINGS	
34.832(5)	Inadequate PREVENTION of customers handling fwks	\$100.00		7.2.2.3.2.1	No LANDING at door opening	\$100.00
34.832(5)	RESTRAINT around displayed fireworks not durable	\$100.00		7.2.2.3.2.3	Landing LENGTH in direction of travel is less than width.	\$100.00
34.832(5)	Customers HANDLING fireworks w/o attendant assistance	\$50.00		7.2.2.3.3.1	Horizontal landing not SOLID (i.e. grating or see through)	\$100.00
34.832(9)	small quantities of unused BOXES in sales/storage area	\$50.00			HANDRAILS	
34.832(11)	EXTENSION CORD located where public can walk over	\$50.00		7.2.2.4.4.1	Not 34" to 38" HIGH above leading edge of tread	\$100.00
34.832(11)	EXTENSION CORD supplies > one device w/o power strip	\$50.00		7.2.2.4.4.5	Less than 2¼" CLEARANCE between rail and wall	\$100.00
34.832(11)	EXTENSION CORD unprotected from accidental damage	\$50.00		7.2.2.4.4.6	Handrails are not a CIRCULAR cross-section of 1¼" to 2"	\$100.00
34.832(11)	EXTENSION CORD used in lieu of fixed structural wiring	\$25.00		7.2.2.4.4.7	Rail is not CONTINUOUS	\$100.00
34.832(11)	Power STRIP without internal circuit breaker	\$25.00		7.2.2.4.4.6	Improper TERMINATION or EXTENSION of rail	\$100.00
34.832(13)	Trash CONTAINERS not METAL or heavy plastic	\$25.00			GUARD RAILS	
34.832(13)	Trash CONTAINERS < 10ft AWAY from fireworks	\$250.00		7.1.8	No GUARD RAIL where egress is > 30" above floor/grade	\$100.00
34.832(15)	SPACE HEATER in sales/storage areas	\$100.00		7.2.2.4.5.2	Guard RAIL is less than 42" high.	\$100.00
34.832(17)	COOKING EQUIPMENT in sales/storage areas	\$100.00		7.2.2.4.5.3	Over 4" between any point in VERTICAL RAILS up to 34" high	\$100.00
34.817(d)	No 2A EXTINGUISHER per 2,000 sqft & within 75 ft travel	\$500.00			RAMPS	
34.817(p)	Internal combustion ENGINES operating inside retail site	\$500.00		7.2.5.3.2(1).	No LANDING at top, bottom or at door openings.	\$100.00
36.3.3.2	Interior wall and ceiling FINISH is not type Class A or B	\$500.00		Tab 7.2.5.2	Single ramp in excess of a 30° RISE.	\$100.00
6.1.14.4.1	No FIREWALL -Btwn High Hazard & other occup > 200 sqft	\$500.00		Tab 7.2.5.2	SLOPE in excess of 1 in 8	\$100.00
	PAPERWORK			Tab 7.2.5.2	Less than 30" WIDE	\$100.00
34.817(j)	Original permit not posted in sales area	\$100.00		7.2.5.3.1(1)	Not permanent FIXED construction	\$100.00
34.817(j)	No permit (site closed until corrected)	\$500.00		7.2.5.3.1(4)	Not SOLID construction.	\$100.00
34.832(8)	Local FD or County FD not NOTIFIED of location in writing	\$100.00		7.2.5.4	No GUARD or HANDRAIL on ramp with rise over 6"	\$100.00
34.832(16)	PLAN not on file at SFMO office (site closed until corrected)	\$250.00			BULK MERCHANDISING >12,000 sqft	
	FIREWORKS			36.4.5	Violation(s) of Bulk Merchandising requirements	Case
2154.003	Illegal fireworks e.g. Bottle or Pop Rockets, M-80's	\$1,000.00			OTHER NFPA LIFE SAFETY CODE	
2154.003(b)	ILLEGAL fireworks (Bottle or Pop Rockets, M-80's)	\$1,000.00				
2154.251(2)	Sell <100' from storage and dispensing of flammables (closed until corrected)	\$500.00		34.832(19)	Violations of NFPA 101 the Life Safety Code®	Case
34.817(o)	Fireworks do not conform to USCPS LABELING	\$500.00		9.1.2	One or more FAULTS identified on Receptacle tester	\$25.00
34.817(i)	OTHER than fireworks or fireworks promotional items	100.00				

Figure: 28 TAC §34.1302(f)

CODE	VIOLATION	FINE
2154.252(b)	Offering 1.4G fireworks for sale from other than an authorized retail location	\$1,000.00
2154.252(d)	Sells fireworks to person who does not hold license or permit	\$1,000.00
34.815(b)(1)	Purchase of 1.4G Fireworks from an unlicensed distributor or jobber.	\$500.00
2154.201(a)	Issue other permit to a person under 18 years old.	\$500.00
34.815(c)(1)	Failed to return permits by March 1 st	\$100.00
34.832(16)	No site plan on file with SFMO	\$1,000.00
34.809(a)	Conduct 1.3G display without a permit	\$3,000.00
34.809(a)	Conduct a display without the appropriate licensed operator	\$3,000.00
34.826(c)	Failed to conduct display in compliance with NFPA 1123	\$500.00- \$1,000.00
34.826(f)	Failed to conduct a proximate display in compliance with NFPA 1126	\$500.00- \$1,000.00
34.826(h)	Used a flame effect and failed to comply with NFPA 160	\$500.00- \$1,000.00

Figure: 40 TAC §373.3(b)(2)(F)(ii)

OTA Required Supervision Hours			
OTAs working 128 or more hours during a given month:	OTAs working between 70-127 hours during a given month:	OTAs working between 69-21 [or fewer] hours during a given month:	OTAs working 20 or fewer hours during a given month:
6 hours of frequent communication supervision	3 hours of frequent communication supervision	2 hours of frequent communication supervision	1 hour of frequent communication supervision
2 hours of interactive supervision	1 hour of interactive supervision	1 hour of interactive supervision	30 minutes of interactive supervision